peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

List of publications

2020

HLA-DR15 Molecules Jointly Shape an Autoreactive T Cell Repertoire in Multiple Sclerosis
Jian Wang, Ivan Jelcic, Lena Muhlenbruch, Mireia Sospedra, Stefan Stevanovic, Roland Martin
https://doi.org/10.1016/j.cell.2020.09.054

Adeno-associated virus-vectored influenza vaccine elicits neutralizing and Fcc receptor-activating antibodies
Demminger D. E., Walz L., Dietert K., Hoffmann H., Planz O., Gruber A. D., von Messling V., Wolff T.
EMBO Mol. Med. 2020; e10938

Altered hematopoietic system and self-tolerance in Bardet-Biedl Syndrome
Tsyklauri O., Niederlova V., Forsythe E., Drobek A., Prasai A., Sparks K., Trachtulec Z., Beales P., Huranova M., Stepanek O.
XXX. 2020; **x**: xxxx

Detection of EXP1-Specific CD4+ T Cell Responses Directed Against a Broad Range of Epitopes Including Two Promiscuous MHC Class II Binders During Acute Plasmodium falciparum Malaria
Heide J., Wildner N. H., Ackermann C., Wittner M., Marget M., Sette A., Sidney J., Jacobs T., Schulze Zur Wiesch J.
Frontiers Immunol. 2020; **10**: 3037

Dynamic adoption of anergy by antigen-exhausted $CD4^+$ T cells
Trefzer A., Kadam P., Wang S. H., Pennavaria S., Lober B., Kranich J., Brocker T., Irmler M., Beckers J., Sraub T., Obst R.
SSRN Elect. J. 2020; **x**: x

Dynamics of the Coreceptor-LCK Interactions during T Cell Development Shape the Self-Reactivity of Peripheral CD4 and CD8 T Cells
Horkova V., Drobek A., Mueller D., Gubser C., Niederlova V., Wyss L., King C. G., Zehn D., Stepanek O.
Cell Rep. 2020; **30** (5): 1504

Different viniculin binding sites use the same mechanism to regulate directional force transduction
Kluger C., Braun L., Sedlak S. M. Pippig D. A., Bauer M. S., Miller K., Milles L. F., Gaub H. E., Voge V.
Biophysical J. 2020; **118**

Fcγ Receptor IIB Controls Skin Inflammation in an Active Model of Epidermolysis Bullosa Acquisita
Kovacs B., Tillmann J., Freund L.-C., Nimmerjahn F., Sadik C. D., Bieber K., Ludwig R. J., Karsten C. M., Köhl J.
Frontiers Immunol. 2020; **10**: 3012

Hepatitis B virus particles activate toll-like receptor 2 signaling initial upon infection of primary human hepatocytes

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

Zhang Z., Trippler M., real C. I., Werner M., Luo X., Schefczyk S., Kemper T., Anastasiou O. E., Ladiges Y., Treckmann J., Paul A., Baba H. A., Allweiss L., Dandri M., Gerken G., Wedemeyer H., Schlaak J. F., Lu M., Broering R.
Hepatology 2020 (to be published)

In vivo vaccination effect in multiple myeloma patients treated with the monoclonal antibody isatuximab
Atanackovic D., Yousef S., Shorter C., Tantravahi S. K., Steinbach M., Iglesias F., Sborov D., Radhakrishnan S. V., Chiron M., Miles R., Salama M., Kröger N., Luetkens T.
Leukemia 2020; 34 (1): 317

Intact Transition Epitope Mapping - Thermodynamic Weak-force Order (ITEM - TWO)
Danquah B. D., Yefremova Y., Opuni K. F. M., Röwer C., Koy C., Glocker M. O.
J. Proteomics 2019; **212**: 103572

Irisin: stll chasing shadows
Albrecht E., Schering L., Buck F., Vlach K., Schober H.- C., Drevron C. A., Maak S.
Mol. Metab. 2020; **34**: 124

TNF-α antagonist differentially induce TGF-β1-dependent resuscitation of dormant-like Mycobacterium tubercolosis
Arbue´s A., Brees D., Chibout S.- D., Fox T., Kammüller M., Portevin D.
PLoS Pathog. 2020; **16** (2): e1008312

2019

Brain citrullination patterns and T cell reactivity of cerebrospinal fluid-derived CD4+ T cells in multiple sclerosis
Faigle W., Cruciani C., Wolski W., Roschitzki B., Puthenparampil M., Tomas-Ojer P., Sellés-Moreno C., Zeis T., Jelcic I., Schaeren-Wiemers N., Sospedra M., Martin R.
Frontiers Immunol. 2019; **10**: 540

Clinical outcome and viral genome variability of hepatitis B virus-induced acute liver failure.
FAnastasiou O. E., Widera M., Westhaus S., Timmer L., Korth J., Gerken G., Canbay A., Todt D., Steinmann E., Schwarz T., Timm J., Verheyen J., Ciesek S.
Hepatol. 2019; **69** (3): 993

CMKLR1-targeting peptide tracers for PET/MR imaging of breast cancer
Erdmann S., Niederstadt L., Koziolek E. J., Castillo Gómez J. D., Prasad S., Wagener A., Lennart von Hacht J., Hallmann S., Exner S., Bandholtz S., Beindorff N., Brenner W.
Theranost. 2019; **9** (22): 6719

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

Efficient screening of combinatorial peptide libraries by spatially ordered beads immobilized on conventional glass slides.
Schwaar T., Lettow M., Remmler D., Börner H. G., Weller M. G.
High Throughput 2019; **8** (2)

Exon inclusion modulates conformational plasticity and autoinhibition of the intersectin 1 SH3A domain
Gerth F., Jäpel M., Sticht J., Kuropka B., Schmitt X. J., Driller J. H., Loll B., Wahl M. C., Pagel K., Haucke V., Freund C.
Struct. 2019; **27**: 1

FLEXamers: a double tag for universal generation of versatile peptide-MHC multimers
Effenberger M., Stengl A., Schober K., Gerget M., Kampick M., Müller T. R., Schumacher D. Helma J.
J. Immunol. 2019; **202** (7): 2164

Healthy Donors Exhibit a CD4 T Cell Repertoire Specific to the Immunogenic Human Hormone H2-Relaxin before Injection
Azam A., Gallais Y., Mallart S., Illiano S., Duclos O., Prades C., Maillère B.
J. Immunol. 2019; **202**(12): 3507

In vivo vaccination effect in multiple myeloma patients treated with the monoclonal antibody isatuximab
Atanackovic D., Yousef S., Shorter C., Tantravahi S. K., Steinbach M., Iglesias F., Sborov D., Radhakrishnan S. V., Chiron M., Miles R., Salama M., Kröger N., Luetkens T.
Leukemia 2019.

Increasing molar activity by HPLC purification improves 68Ga-DOTA-NAPamide tumor accumulation in a B16/F1 melanoma xenograft model
Lennart von Hacht J., Erdmann S., Niederstadt L., Prasad S., Wagener A., Exner S., Beindorff N., Brenner W., Grötzinger C.
PLOS ONE 2019; **14**: 1

Induction of herpes simplex virus type 1 cell-to-cell spread inhibiting antibodies by a calcium phosphate nanoparticle-based vaccine
Kopp M., Aufderhorst U. W., Alt M., Dittmer U., Eis-Hübinger A.-M., Giebel B., Roggendorf M., Epple M., Krawczyk A.
Nanomed. 2019; **16**: 138

Intact transition epitope mapping-targeted high-energy rupture of extracted epitopes (ITEM-THREE)
Danquah B. D., Röwer C., Opuni K. F. M., El-Kased R., Frommholz D., Illges H., Koy C., Glocker M. O.
Mol Cell Proteom. 2019; **18** (8): 1543

Interference with Amyloid-β Nucleation by Transient Ligand Interaction
Zhang T., Loschwitz J., Strodel B., Nagel-Steger L., Willbold D.
Molecules 2019; **24**:2129

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

Memory T cells targeting oncogenic mutations detected in peripheral blood of epithelial cancer patients
Cafri G., Yossef R., Pasetto A., Deniger D. C., Lu Y.-C., Parkhurst M., Gartner J. J., Jia L., Ray S., Ngo L. T., Jafferji M., Sachs A., Prickett T., Robbins P. F. Rosenberg S. A.
Nat. Commun. 2019; **10**(1):449

Metabolic Resistance of the D-peptide RD2 developed for direct elimination of amyloid-ß oligomers
Elfgen A., Hupert M., Bochinsky K., Tusche M., González de San Román Martin E., Gering I., Sacchi S., Pollegioni L., Huesgen P. F., Hartmann R., Santiago-Schübel B., Kutzsche J., Willbold D.
Sci. Rep. 2019; **9**: 5715

Structural characterization of synthetic peptides using electrospray ion mobility spectrometry and molecular dynamics simulations
Villatoro J., Weber M., Zühlke M., Lehmann A., Zenichowski K., Riebe D., Beitz T., Löhmannsröben H.-G., Kreuzer O.
Int. J. Mass Spectr. 2019; **436**: 108

Structural insights into curli CsgA cross-ß fibril architecture inspire repurposing of anti-amyloid compounds as anti-biofilm agents.
Perov S., Lidor O., Salinas N., Golan N., Tayeb-Fligelman E., Deshmukh M., Willbold D., Landau M.
PLoS Pathog. 2019; **15** (8): e1007978

Synchronous delivery of hydroxyapatite and connective tissue growth factor derived osteoinductive peptide enhanced osteogenesis
Xu R., Zhang Z., Toftda M. S., Møller A. C., Dagnaes-Hansend F., Dong M., Thomsen J. S., Brüel A., Chen M.
J. Controll. Releas. 2019; **301**: 129

Targeting the CALCB/RAMP1 axis inhibits growth of Ewing sarcoma
Dallmayer M., Li J., Ohmura S., Alba Rubio R., Baldauf M. C., Hölting T. L. B., Musa J., Knott M. M. L., Stein S., Cidre-Aranaz F., Wehweck F. S., Romero-Pérez L., Gerke J. S., Orth M. F., Marchetto A., Kirchner T., Bach H., Sannino G., Grünewald T. G. P.
Cell Death and Desease 2019; **10**:216

Taste modulating peptides from overfermented cocoa beans
Salger M., Stark T. D., Hofmann T.
J. Agric. Food Chem. 2019; **67** (15):4311

TCR Fingerprinting and Off-Target Peptide 1 Identification
A. R. Karapetyan, C. Chaipan, K. Winkelbach, S. Wimberger, J. S. Jeong, B. Joshi, R. B. Stein, D. Underwood, J. C. Castle, M. van Dijk, V. Seibert
Front. Immunol. 2019; **10**: 2501

Transmaternal helicobacter pylori exposure reduces allergic airway inflammation in offspring through regulatory T cells
Kyburz A., Fallegger A., Zhang X., Altobelli A., Artola-Boran M., Borbet T., Urban S., Paul P., Münz C., Floess S., Huehn J., Cover T.

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

L., Blaser M. J., Taube C., Müller A.
J. Allergy Clin. Immunol. 2019; **143** (4):1496

2018

A novel synthetic peptide microarray assay detects Chlamydia species-specific antibodies in animal and human sera
Sachse K., Rahman K. S., Schnee C., Müller E., Peisker M., Schumacher T., Schubert E., Ruettger A., Kaltenboeck B., Ehricht R.
Sci. Rep. 2018; **8** : 4701

Autoantibodies in serum of systemic scleroderma patients: peptide-based epitope mapping indicates increased binding to cytoplasmic domains of CXCR3
Recke A., Regensburger A.-K., Weigold F., Müller A., Heidecke H., Marschner G., Hammers C. M., Ludwig R., J., Riemekasten G.
Front. Immunol. 2018; **9** : 428

Botulinum neurotoxin F Subtypes cleaving the VAMP-2 Q^{58}-K^{59} peptide bond exhibit unique catalytic properties and substrate specificities
Sikorra S., Skiba M., Dorner M. B., Weisemann J., Weil M., Valdezate S., Davlevtov B., Rummel A., Dorner B. G., Binz T.
Toxins (Basel) 2018; **10** (8) : 311

CMV and EBV targets recognized by tumor-infiltrating B lymphocytes in pancreatic cancer and brain tumors
Meng Q., Valentini D., Rao M., Maeurer M.
Sci. Rep. 2018; **8** (1) : 17079

Comparison of blood-brain barrier penetration efficiencies between linear and cyclic all-d-enantiomeric peptides developed for the treatment of Alzheimer's disease
Schartmann E., Schemmert S., Ziehm T., Leithold L. H. E., Jiang N., Tusche M., Joni Shah N., Langen K. J., Kutzsche J., Willbold D., Willuweit A.
Eur. J. Pharm. Sci. 2018; **114** : 93

Cytomegalovirus-specific CD8+ T-cells with different T-cell receptor affinities segregate T-cell phenotypes and correlate with chronic graft-versus-host disease in patients post-hematopoietic stem cell transplantation
Poiret T., Axelsson-Robertson R., Remberger M., Luo X.-H., Rao M., Nagchowdhury A., Von Landenberg A., Ernberg I., Ringden O., Maeurer M.
Front. Immunol. 2018; **9** : 760

Elongation/termination factor exchange mediated by PP1 phosphatase orchestrates transcription termination
Kecman T., Kuś K., Heo D. H., Duckett K., Birot A., Liberatori S.,

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

Mohammed S., Geis-Asteggiante L., Robinson C. V., Vasiljeva L.
Cell Rep. 2018; **25** (1) : 259

GDP-I-fucose synthase is a CD4⁺ T cell-specific autoantigen in DRB3*02:02 patients with multiple sclerosis
Siegemund M., Schneider F., Hutt M., Seifert O., Müller I., Kulms Planas R., Santos R., Tomas-Ojer P., Cruciani C., Lutterotti A., Faigle W., Schaeren-Wiemers N., Espejo C., Eixarch H., Pinilla C., Martin R., Sospedra M.
Sci. Transl. Med. 2018; **10** (462): 1

IgG-single-chain TRAIL fusion proteins for tumor therapy
Siegemund M., Schneider F., Hutt M., Seifert O., Müller I., Kulms D., Pfizenmaier K., Kontermann R. E.
Sci. Rep. 2018; **8**: 7808

In vitro Potency and Preclinical Pharmacokinetic Comparison of All-D-Enantiomeric Peptides Developed for all the Treatment of Alzheimer's Disease
Schartmann E., Schemmert S., Niemietz N., Honold D., Ziehm T., Tusche M., Elfgen A., Gering I., Brener O., Shah N. J., Langen K. J., Kutzsche J., Willbold D., Willuweit A.
J. Alzheimers Dis. 2018; **64** (3): 859

Investigations of the Copper Peptide Hepcidin-25 by LC-MS/MS and NMR
Abbas I. M., Vranic M., Hoffmann H., El-Khatib A. H., Montes-Bayón M., Möller H. M., Weller M. G.
Int. J. Mol. Sci. 2018; **19** (8): 2271

Memory B Cells Activate Brain-Homing, Autoreactive CD4+ T Cells in Multiple Sclerosis
Jelcic I., Al Nimer, F., Wang J., Lentsch V., Planas R., Jelcic I., Madjovski A., Ruhrmann S., Faigle W., Frauenknecht K., Pinilla C., Santos R., Hammer C., Ortiz Y., Opitz L., Grönlund H., Rogler G., Boyman O., Reynolds R., Lutterotti A., Khademi M., Olsson T., Piehl F., Sospedra M., Martin R.
Cell 2018; **175**(1):85

NY-ESO-1- and surviving-specific T-cell responses in the peripheral blood from patients with glioma
Liu Z., Poiret T., Persson O., Meng Q., Rane L., Bartek J. Jr, Karbach J., Altmannsberger H. M., Illies C., Luo X., Harvey-Peredo I., Jäger E., Dodoo E., Maeurer M.
Cancer Immunol. Immunother. 2018; **67**(2):237

Octreotide Does Not Inhibit Proliferation in Five Neuroendocrine Tumor Cell Lines
Exner S., Prasad V., Wiedenmann B., Grötzinger C.
Front Endocrinol. (Lausanne) 2018; **9**: 146

Peptide-specific recognition of human cytomegalovirus strains controls adaptive natural killer cells
Hammer Q., Rückert T., Borst E. M., Dunst J., Haubner A., Durek P.,

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

Heinrich F., Gasparoni G., Babic M., Tomic A., Pietra G., Nienen M., Blau I. W., Hofmann J., Na I.-K., Prinz I., Koenecke C., Hemmati11 P., Babel N., Arnold R., Walter J., Thurley K., Mashreghi M.-F., Messerle M., Romagnani C.
Nature Immunol. 2018; **19**:453

Predictable Peptide Conjugation Ratios by Activation of Proteins with Succinimidyl Iodoacetate (SIA)
Abbas I. M., Schwaar T., Bienwald F., Weller M. G.
Methods Protoc. 2018; **1** (1): 2

Phosphoproteomic screening identifies physiological substrates of the CDKL5 kinase
Muñoz I. M., Morgan M. E., Peltier J., Weiland F., Gregorczyk M., Brown F. C. M., Macartney T., Toth R., Trost M., Rouse J.
EMBO J. 2018; **37** (24):e99559

Prediction of improved survival in patients with pancreatic cancer via IL-21 enhanced detection of mesothelin epitope-reactive T-cell responses
Meng Q., Valentini D., Rao M., Liu Z., Xie S., Morgell A., Dodoo E., Löhr M., Rangelova E., Del Chiaro M., Ernberg I., Maeurer M.
Oncotarget 2018; **9** (32): 22451

Stable Frequencies of HLA-C*03:04/Peptide-Binding KIR2DL2/3+ Natural Killer Cells Following Vaccination
Ziegler M. C., Grañana F. B., Garcia-Beltran W. F., Schulze zur Wiesch J., Hoffmann C., Rechtien A., Lunemann S., Altfeld M.
Front. Immunol. 2018; **9**: 2361

Strong homeostatic TCR signals induce formation of self-tolerant virtual memory CD8 T cells
Drobek A., Moudra A., Mueller D., Huranova M., Horkova V., Pribikova M., Ivanek R., Oberle S., Zehn D., McCoy K. D., Draber P., Stepanek O.
EMBO J. 2018; **37**(14):e98518

Synthesis and Binding of a Novel PSMA-specific Conjugate
Holmberg A. R., Marquez M., Lennartsson L., Meurling L., Nilsson S.
Anticancer Res. 2018; **38** (3): 1531

Systematic identification of cancer-specific MHC-binding peptides with RAVEN
Baldauf M. C., Gerke J. S., Kirschnerb A., Blaeschke F., Effenbergerd M., Schober K., Alba Rubio R., Kanasekie T., Kiran M. M., Dallmayera M., Musa J., Akpolat N., Akatli A. N., Rosman F. C., Özen Ö., Sugitae S., Hasegawae T., Sugimuraj H., Baumhoer D., Knott M. M. L., Sannino G., Marchetto A., Li J., Busch D. H., Feuchtinger T., Ohmura S., Orth M. F., Thielb U., Kirchnerl T., Grünewald T. G. P.
Oncoimmun. 2018; **7**(9):e1481558

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

Targeting scFv-Fc-scTRAIL fusion proteins to tumor cells
Hutt M., Fellermeier-Kopf S., Seifert O., Schmitt L. C., Pfizenmaier K., Kontermann R. E.
Oncotarget 2018; **9**(13):11322

The Parkinson's disease VPS35[D620N] mutation enhances LRRK2-mediated Rab protein phosphorylation in mouse and human
Mir R., Tonelli F., Lis P., Macartney T., Polinski N.K., Martinez T. N., Chou M. Y., Howden A. J. M., König T., Hotzy C., Milenkovic I., Brücke T., Zimprich A., Sammler E., Alessi D. R.
Biochem J. 2018; **475** (11): 1861

2017

An alternative field switching ion gate for ESI-ion mobility spectrometry
Zühlke M., Zenichowski K., Riebe D., Beitz T., Löhmannsröben H.-G.
Int. J. Ion Mobil. Spectr. 2017; **20** : 67

Acquired mutations in BCL2 family proteins conferring resistance to the BH3 mimetic ABT-199 in lymphoma
Fresquet V., Rieger M., Carolis C., García-Barchino M. J., Martinez-Climent J. A.
Blood 2014; **123** (26) : 4111

CD4+ T-Cell Reactivity to Orexin/Hypocretin in Patients With Narcolepsy Type
Ramberger M., Högl B., Stefani A., Mitterling T., Reindl M., Lutterotti A.
Sleep 2017; **40** (3)

Definition and characterization of novel HLA-*A02-restricted CD8+ T cell epitopes derived from JCV polyomavirus with clinical relevance
Mani J., Wang L., Hückelhoven A. G., Schmitt A., Gedvilaite A., Jin N., Kleist C., Ho A. D., Schmitt M.
Oncotarget 2017; **8** (2): 2485

Epithelial Gpr116 regulates pulmonary alveolar homeostasis via Gq/11 signaling
Brown K., Filuta A., Ludwig M. G., Seuwen K., Jaros J., Vidal S., Arora K., Naren A. P., Kandasamy K., Parthasarathi K., Offermanns S., Mason R. J., Miller W. E., Whitsett J. A., Bridges J. P.
JCI Insight 2017; **2** (11)

Evidence of cross-stage CD8+ T cell epitopes in malaria pre-erythrocytic and blood stage infections
Müller K., Gibbins M. P., Matuschewski K., Hafalla J. C. R.
Parasite Immunol. 2017; **39** (7)

Fas Ligand-mediated cytotoxicity of CD4+ T cells during chronic retrovirus infection
Malyshkina A., Littwitz-Salomon E., Sutter K., Zelinskyy G., Windmann S., Schimmer S., Paschen A., Streeck H., Hasenkrug K. J.,

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

Dittmer U.
Sci. Rep. 2017; **7** (1): 7785

Glycolipid-peptide conjugate vaccines enhance CD8+ T cell responses against human viral proteins
Speir M., Authier-Hall A., Brooks C. R., Farrand K. J., Compton B. J., Anderson R. J., Heiser A., Osmond T. L., Tang C. W., Berzofsky J. A, Terabe M., Painter G. F., Hermans I. F., Weinkove R.
Sci. Rep. 2017; **7** (1): 14273

In silico Epitope Mapping of Glucose-6-Phosphate Isomerase: A Rhematoid Arthritis Autoantigen
Opuni K. F. M., Solomon S., Metzen F., Frommholz D., Koy C.,Röwer C., Glocker M. O., Illges H., Anderson P. C.
J. Proteomics Bioinform. 2017; **10**: 60

Large-Scale Oral Treatment Study with the Four Most Promising D3-n Derivatives for the Treatment of Alzheimer's Disease
Kutzsche J., Schemmert S., Tusche M., Neddens J., Rabl R., Jürgens D., Brener O., Willuweit A., Hutter-Paier B., Willbold D.
Molecules 2017; **22** (10)

Mesothelin as a novel biomarker and immunotherapeutic target in human glioblastoma
Liu Z., Rao M., Poiret T., Nava S., Meng Q., von Landenberg A., Bartek J., Xie S., Sinclair G., Peredo I., Dodoo E., Maeurer M.
Oncotarget 2017; **8** (46): 80208

Multiple WW domains of Nedd4-1 undergo conformational exchange that is quenched upon peptide binding
Panwalkar V., Neudecker P., Willbold D., Dingley A. J.
FEBS Lett. 2017; **591** (11): 1573

Noninvasive Imaging of Human Immune Responses in a Human Xenograft Model of Graft-Versus-Host Disease
Van Elssen C. H. M. J., Rashidian M., Vrbanac V., Wucherpfennig K. W., Habre Z. E., Sticht J., Freund C., Jacobsen J. T., Cragnolini J., Ingram J., Plaisier L., Spierings E., Tager A. M., Ploegh H. L.
J. Nucl. Med. 2017; **58** (6): 1003

Quantification of Relaxin-2 Connecting Peptide (Pro-RLX2) in Human Blood Samples
Rehfeldt M., Sparwasser A., Funk E., Köhrle J., Bergmann A.
JALM 2017; **2**(3):322

Structural and functional analyses of pyroglutamate-amyloid-β-specific antibodies as a basis for Alzheimer immunotherapy
Piechotta A., Parthier C., Kleinschmidt M., Gnoth K., Pillot T., Lues I., Demuth H. U., Schilling S., Rahfeld J. U., Stubbs M. T.
J. Biol. Chem. 2017; **292**(30):12713

Surprisingly high stability of the Aβ oligomer eliminating all-d-enantiomeric peptide D3 in media simulating the route of orally

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

administered drugs
Elfgen A., Santiago-Schübel B., Gremer L., Kutzsche J., Willbold D.
Eur. J. Pharm. Sci. 2017; **30** (107): 203

Transcutaneous immunization with a novel imiquimod nanoemulsion induces superior T cell responses and virus protection
Lopez P. A., Denny M., Hartmann A. K., Alflen A., Probst H. C., von Stebut E., Tenzer S., Schild H., Stassen M., Langguth P., Radsak M. P.
J. Dermatol. Sci. 2017; **87** (3): 252

2016

An optimized antibody-single-chain TRAIL fusion protein for cancer therapy
Siegemund M., Seifert O., Zarani M., Džinić T., De Leo V., Göttsch D., Münkel S., Hutt M., Pfizenmaier K., Kontermann R. E.
MAbs 2016; **8** (5): 879

Competitive Mirror Image Phage Display Derived Peptide Modulates Amyloid Beta Aggregation and Toxicity
Rudolph S., Klein A. N., Tusche M., Schlosser C., Elfgen A., Brener O., Teunissen C., Gremer L., Funke S. A., Kutzsche J., Willbold D.
PLoS One 2016; **11** (2): e0147470

Expansion of Tumor-reactive T Cells From Patients With Pancreatic Cancer
Meng Q., Liu Z., Rangelova E., Poiret T., Ambati A., Rane L., Xie S., Verbeke C., Dodoo E., Del Chiaro M., Löhr M., Segersvärd R., Maeurer M. J.
J. Immunother. 2016; **39** (2): 81

Induction of T regulatory cells by the superagonistic anti-CD28 antibody D665 leads to decreased pathogenic IgG autoantibodies against desmoglein 3 in a HLA-transgenic mouse model of pemphigus vulgaris
Schmidt T., Willenborg S., Hünig T., Deeg C. A., Sonderstrup G., Hertl M., Eming R.
Exp. Dermatol. 2016; **25** (4): 293

Mechanisms of immune escape in central nervous system infection with neurotropic JC virus variant
Jelcic I., Kempf C., Largey F., Planas R., Schippling S., Budka H., Sospedra M., Martin R.
Ann. Neurol. 2016; **79** (3): 404

Separation of cys and trans Isomers of Polyproline by FAIMS Mass Spectrometry
Creese A. J., Cooper H. J.
J. Am. Soc. Mass Spectrom. 2016; **27** (12): 2071

Urolinin: The First Linear Peptidic Urotensin-II Receptor Agonist
Bandholtz S., Erdmann S., von Hacht J. L., Exner S., Krause G.,

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

Kleinau G., Grötzinger C.
J. Med. Chem. 2016; **59** (22): 10100

2015

A novel monoclonal antibody to a defined peptide epitope in MUC16
Marcos-Silva L., Ricardo S., Chen K., Blixt O., Arigi E., Pereira D., Høgdall E., Mandel U., Bennett E. P., Vakhrushev S. Y., David L., Clausen H.
Glycobiol. 2015; **25** (11): 1172

Cancer-testis antigen SLLP1 represents a promising target for the immunotherapy of multiple myeloma
Yousef S., Heise J., Lajmi N., Bartels K., Kröger N., Luetkens T., Atanackovic D.
Transl. Med. 2015; **13** : 197

CD4$^+$ T cells in chronic autoantigenic stimulation in MGUS, multiple myeloma and Waldenström's macroglobulinemia
Neumann F., Pfreundschuh M., Preuss K. D., Schormann C., Zwick C., Murawski N., Kubuschok B.
Int. J. Cancer 2015; **137 (5)** : 1076

Evaluation of specific humoral and cellular immune responses against the major capsid L1 protein of cutaneous wart-associated alpha-Papillomaviruses in solid organ transplant recipients
Gaiser M. R., Textor S., Senger T., Schädlich L., Waterboer T., Kaufmann A. M., Süsal C., Pawlita M., Enk A. K., Gissmann L. Lonsdorf A. S.
J. Dermatol. Sci. 2015; **77** (1): 37

HLA-DMA polymorphisms differentially affect MHC class II peptide loading
Álvaro-Benito M., Wieczorek M., Sticht J., Kipar C., Freund C.
J. Immunol. 2015; **194** (2): 803

Increased β-haemolytic group A streptococcal M6 serotype and streptodornase B-specific cellular immune responses in Swedish narcolepsy cases
Ambati A., Poiret T., Svahn B. M., Valentini D., Khademi M., Kockum I., Lima I., Arnheim-Dahlström L., Lamb F., Fink K., Meng Q., Kumar A., Rane L., Olsson T., Maurer M.
J. Int. Med. 2015; **278** (3): 264

Mycobacterial heat shock protein 65 (mbHSP65)-induced atherosclerosis: Preventive oral tolerization and definition of atheroprotective and atherogenic mbHSP65 peptides
Gruntman C., Jakic B., Buszko M., Onestingel E., Almanzar G., Demetz E., Dietrich H., Cappellano G., Wick G.
Atheroscler. 2015; **242** (1): 303

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

2014

A fluorescence polarization assay for the experimental validation of an in silico model of the chemokine CXCL8 binding to receptor-derived peptides
Girrbach M., Meliciani I., Waterkotte B., Berthold S., Oster A., Brurein F., Strunk T., Wadhwani P., Berensmeier S., Wenzel W., Schmitz K.
Phys. Chem. Chem. Phys. 2014; **16** (17): 8036

Acquired mutations in BCL2 family proteins conferring resistance to the BH3 mimetic ABT-199 in lymphoma
Fresquet V., Rieger M., Carolis C., García-Barchino M. J., Martinez-Climent J. A.
Blood 2014; **123** (26): 4111

Amyloid-β peptide-specific DARPins as a novel class of potential therapeutics for Alzheimer disease
Hanenberg M., McAfoose J., Kulic L., Welt T., Wirth F., Parizek P., Strobel L., Cattepoel S., Späni C., Derungs R., Maier M., Plückthun A., Nitsch R. M.
J. Biol. Chem. 2014; **289** (39) : 27080

Assessment of the novel T-cell activation marker-tuberculosis assay for diagnosis of active tuberculosis in children: a prospective proof-of-concept study
Portevin D., Moukambi F., Clowes P., Bauer A., Chachage M., Ntinginya N. E., Mfinanga E., Said K., Haraka F., Rachow A., Saathoff E., Mpina M., Jugheli L., Lwilla F.,, Marais B. J., Hoelscher M., Daubenberger C., Reither K., Geldmacher C.
Lancet Infect. Dis. 2014; **14** (10): 931

Cationic lipid-formulated DNA vaccine against hepatitis B virus: immunogenicity of MIDGE-Th1 vectors encoding small and large surface antigen in comparison to a licensed protein vaccine
Endmann A., Klünder K., Kapp K., Riede O., Oswald D., Talman E. G., Schroff M., Kleuss C., Ruiters M. H., Juhls C.
PLoS One 2014; **9** (7): e101715

Differential kinetics of antigen dependency of CD4+ and CD8+ T cells
Rabenstein H., Behrendt A. C., Ellwart J. W., Naumann R., Horsch M., Beckers J., Obst R.
J. Immunol. 2014; **192** (8): 3507

Functional autoantibodies against SSX-2 and NY-ESO-1 in multiple myeloma patients after allogeneic stem cell transplantation
Luetkens T., Kobold S., Cao Y., Ristic M., Schilling G., Tams S., Bartels B. M., Templin J., Bartels K., Hildebrandt Y., Yousef S., Marx A., Haag F., Bokemeyer C., Kröger N., Atanackovic D.
Cancer Immunol. Immunother. 2014; **63** (11): 1151

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

Identification of a NFκB inhibitory peptide from tryptic β-casein hydrolysate
Malinowski J., Klempt M., Clawin-Rädecker I., Lorenzen P. C., Meise H.
Food Chem. 2014; **165** : 129

Short peptides allowing preferential detection of Candida albicans hyphae
Kaba H. E., Pölderl A., Bilitewski U.
Anal. Chem. 2014; **87** (17) : 8629

The microtubule-depolymerizing agent ansamitocin P3 programs dendritic cells toward enhanced anti-tumor immunity
Martin K., Müller P., Schreiner J., Prince S. S., Lardinois D., Heinzelmann-Schwarz V. A., Thommen D. S., Zippelius A.
Cancer Immunol. Immunother. 2014; **63** (9) : 925

2013

A novel human-derived antibody against NY-ESO-1 improves the efficacy of chemotherapy
Gupta A., Nuber N., Esslinger C., Wittenbrink M., Treder M., Landshammer A., Noguchi T., Kelly M., Gnjatic S., Ritter E., von Boehmer L., Nishikawa H., Shiku H., Old L., Ritter G., Knuth A., van den Broek M.
Cancer Immun. 2013; **13**: 3

Chromatin-bound IκBα regulates a subset of polycomb target genes in differentiation and cancer
Mulero M. C., Ferres-Marco D., Islam A., Margalef P., Pecoraro M., Toll A., Drechsel N., Charneco C., Davis S., Bellora N., Gallardo F., López-Arribillaga E., Asensio-Juan E., Rodilla V., González J., Iglesias M., Shih V., Mar Albà M., Di Croce L., Hoffmann A., Miyamoto S., Villà-Freixa J., López-Bigas N., Keyes W. M., Domínguez M., Bigas A., Espinosa L.
Cancer Cell 2013; **12** (24): 2

Facile fabrication and instant application of miniaturized antibody-decorated affinity columns for higher-order structure and functional characterization of TRIM21 epitope peptides
Al-Majdoub M., Opuni K. F., Koy C., Glocker M. O.
Anal. Chem. 2013; **85** (21): 10479

Fast dendritic cells stimulated with alternative maturation mixtures induce polyfunctional and long-lasting activation of innate and adaptive effector cells with tumor-killing capabilities
Massa C., Seiliger B.
J. Immunol. 2013; **190** (7): 3328

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

Flavanols in the nuclei of the tea bush (Camellia sinensis) - broadening the perspectives to human health
Feucht W., Schmid M., Polster J., Dithmar H., Treutter D.
J. Appl. Botany Food Qual. 2013; **86** (1): 16

HLA-DR15-derived self-peptides are involved in increased autologous T cell proliferation in multiple sclerosis
Mohme M., Hotz C., Stevanovic S., Binder T., Lee J. H., Okoniewski M., Eiermann T., Sospedra M., Rammensee H. G., Martin R.
Brain 2013; **136** (6): 1783

Peptide-Based Investigation of the Escherichia coli RNA Polymerase σ70: Core Interface As Target Site
Hüsecken K., Negri M., Fruth M., Boettcher S., Hartmann R. W., Haupenthal J.
ACS Chem. Biol. 2013; **8** (4): 758

T cell epitope mapping of JC polyoma virus-encoded proteome reveals reduced T cell responses in HLA-DRB1*04:01+ donors
Jelcic I., Aly L., Binder T. M., Jelcic I., Bofill-Mas S., Planas R., Demina V., Eiermann T. H., Weber T., Girones R., Sospedra M., Martin R.
J. Virol. 2013; **87** (6): 3393

2012

Apoptosis related protein-1 triggers melanoma cell death via interaction with the juxtamembrane region of p75 neurotrophin receptor
Selimovic D., Sprenger A., Hannig M., Haïkel Y, Hassan M.
J. Cell Mol. Med. 2012; **16** (2): 349

Autoreactive HSP60 epitope-specific T-cells in early human atherosclerotic lesions
Almanzar G., Öllinger R., Leuenberger J., Onestingel E., Rantner B., Zehm S., Cardini B., van der Zee R., Grundtman C., Wick G.
J. Autoimmun. 2012; **39** (4): 441

Longitudinal changes in HIV-1-specific T-cell quality associated with viral load dynamic
Dembek C. J., Kutscher S., Allgayer S., Russo C., Bauer T., Hoffmann D., Goebel F. D., Bogner J. R., Erfle V., Protzer U., Cosma A.
J. Clin. Virol. 2012; **55** (2): 114

Longitudinal changes in HIV-1-specific T-cell quality associated with viral load dynamic
Dembek C. J., Kutscher S., Allgayer S., Russo C., Bauer T., Hoffmann D., Goebel F. D., Bogner J. R., Erfle V., Protzer U., Cosma A.
J. Clin. Virol. 2012; **55** (2): 114

Molecular evolution of a peptide GPCR ligand driven by artificial neural networks

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

Bandholtz S., Wichard J., Kühne R., Grötzinger C.
PLoS One 2012; **7** (5): e36948

TCR bias and HLA cross-restriction are strategies of human brain-infiltrating JC virus-specific CD4+ T cells during viral infection
Yousef S., Planas R., Chakroun K., Hoffmeister-Ullerich S., Binder T. M., Eiermann T. H., Martin R., Sospedra M.
J. Immunol. 2012; **189** (7): 3618

The TRPV5/6 calcium channels contain multiple calmodulin binding sites with differential binding properties
Kovalevskaya N. V., Bokhovchuk F. M., Vuister G. W.
J. Struct. Funct. Genomics 2012; **13** (2): 91

2011

Central role of JC virus-specific CD4+ lymphocytes in progressive multi-focal leucoencephalopathy-immune reconstitution inflammatory syndrome
Aly L., Yousef S., Schippling S., Jelcic I., Breiden P., Matschke J., Schulz R., Bofill-Mas S., Jones L., Demina V., Linnebank M., Ogg G., Girones R., Weber T., Sospedra M., Martin R.
Brain 2011; **134** (9): 2687

Facile synthesis of peptide nucleic acids and peptide nucleic acid-peptide conjugates on an automated peptide synthesizer
Joshi R., Jha D., Su W., Engelmann J.
J. Pept. Sci. 2011; **17** (1): 8

Identification and characterization of human leukocyte antigen class I ligands in renal cell carcinoma cells
Seiliger B., Dressler S. P., Massa C., Recktenwald C. V., Altenberend F., Bukur J., Marincola F. M., Wang E., Stevanovic S., Lichtenfels R.
Proteomics 2011; **11** (12): 2528

Identification of influenza virus inhibitors which disrupt of viral polymerase protein-protein interactions
Chase G., Wunderlich K., Reuther P., Schwemmle M.
Methods 2011; **55** (2): 188

Molecular mechanisms of calmodulin action on TRPV5 and modulation by parathyroid hormone
de Groot T., Kovalevskaya N. V., Verkaart S., Schilderink N., Felici M., van der Hagen E. A., Bindels R. J., Vuister G. W., Hoenderop J. G.
Mol Cell. Biol. 2011; **31** (14): 2845

PI3Kγ deficiency delays the onset of experimental autoimmune encephalomyelitis and ameliorates its clinical outcome
Berold L., Heinemann C., Heink S., Escher A., Stadelmann C., Drube S., Wetzker R., Norgauer J., Kamradt T.
Eur J. Immunol. 2011; **41** (3): 833

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

Seromic profiling of colorectal cancer patients with novel glycopeptide microarray
Pedersen J. W., Blixt O., Bennett E. P., Tarp M. A., Dar I., Mandel U., Poulsen S. S., Pedersen A. E., Rasmussen S., Jess P., Clausen H., Wandall H. H.
Int. J. Cancer 2011; **128** (8): 1860

2010

Clinical and serological evaluation of a novel CENP-A peptide based ELISA
Mahler M., Maes L., Blockmans D., Westhovens R., Bossuyt X., Riemekasten G., Schneider S., Hiepe F., Swart A., Gürtler I., Egerer K., Fooke M., Fritzler M. J.
Arthritis Res. Ther. 2010; **12** (3): R99

Cryptic epitopes induce high-titer humoral immune response in patients with cancer
Fischer E., Kobold S., Kleber S., Kubuschok B., Braziulis E., Knuth A., Renner C., Wadle A.
J. Immunol. 2010; **185** (5): 3095

2009

Enhanced T- and B-cell responses to simian immunodeficiency virus (SIV)agm, SIVmac and human immunodeficiency virus type 1 Gag DNA immunization and identification of novel T-cell epitopes in mice via codon optimization
Siegismund C. S., Hohn O., Kurth R., Norley S.
J. Gen. Virol. 2009; **90** (10): 2513

Identification of a PA-binding peptide with inhibitory activity against influenza A and B virus replication
Wunderlich K., Mayer D., Ranadheera C., Holler A. S., Mänz B., Martin A., Chase G., Tegge W., Frank R., Kessler U., Schwemmle M.
PLoS One 2009; **4** (10): e7517

Short communication: bovine kappa-casein variants result in different angiotensin I converting enzyme (ACE) inhibitory peptides
Weimann C., Meisel H., Erhardt G.
J. Dairy Sci. 2009; **92** (5): 1885

2008

Human effector and memory CD8+ T cell responses to smallpox and yellow fever vaccines
Miller J. D., van der Most R. G., Akondy R. S., Glidewell J.

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

T., Albott S., Masopust D., Murali-Krishna K., Mahar P. L., Edupuganti S., Lalor S., Germon S., Del Rio C., Mulligan M. J., Staprans S. I., Altman J. D., Feinberg M. B., Ahmed R.
Immunity 2008; **28** (5): 710

Humoral immune responses against the immature laminin receptor protein show prognostic significance in patients with chronic lymphocytic leukemia
Friedrichs B., Siegel S., Kloess M., Barsoum A., Coggin J. Jr., Rohrer J., Jakob I., Tiemann M., Heidorn K., Schulte C., Kabelitz D., Steinmann J., Schmitz N., Zeis M.
J. Immunol. 2008; **180** (9): 6374

Phosphorylation of histone H3 at threonine 11 establishes a novel chromatin mark for transcriptional regulation
Metzger E., Yin N., Wissmann M., Kunowska N., Fischer K., Friedrichs N., Patnaik D., Higgins J. M., Potier N., Scheidtmann K. H., Buettner R., Schüle R.
Nat. Cell Biol. 2008; **10** (1): 53

2006

Development of peptide microarrays for epitope mapping of antibodies against the human TSH receptor
Andresen H., Zarse K., Grötzinger C., Hollidt J. M., Ehrentreich-Förster E., Bier F. F., Kreuzer O. J.
Proteomics 2006; **6** (5): 1376

Epitope specificity of serum antibodies directed against the extracellular domain of myelin oligodendrocyte glycoprotein: Influence of relapses and immunomodulatory treatments
Khalil M., Reindl M., Lutterotti A., Kuenz B., Ehling R., Gneiss C., Lackner P., Deisenhammer F., Berger T.
J. Neuroimmunol. 2006; **174** (1-2): 147

Functional peptide microarrays for specific and sensitive antibody diagnostics
Andresen H., Grötzinger C., Zarse K., Kreuzer O. J., Ehrentreich-Förster E., Bier F. F.
Proteomics 2006; **6** (5): 1376

Peptide microarrays with site-specifically immobilized synthetic peptides for antibody diagnostics
Andresen H., Grötzinger C., Zarse K., Birringer M., Hessenius C., Kreuzer O. J., Ehrentreich-Förster E., Bier F. F.
Sensors Actuat. B Chem. 2006; **113** (2): 655

2005

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

Chemically synthesized zinc finger molecules as nano-addressable probes for double-stranded DNAs
von Nickisch-Rosenegk M., Ehrentreich-Forster E., Strehlow R., Christmann A., Bier F. F.
J. Nanobiotechnology 2005; **29** (3): 5

Differential multisite phosphorylation of the trehalose-6-phosphate synthase gene family in Arabidopsis thaliana: a mass spectrometry-based process for multiparallel peptide library phosphorylation analysis
Glinski M., Weckwerth W.
Mol. Cell Proteomics 2005; **4** (10): 1614

HP1 binds specifically to Lys26-methylated histone H1.4, whereas simultaneous Ser27 phosphorylation blocks HP1 binding
Daujat S., Zeissler U., Waldmann T., Happel N., Schneider R.
J. Biol. Chem. 2005; **280** (45): 38090

PYY3-36 as an anti-obesity drug target
Boggiano M. M., Chandler P. C., Oswald K. D., Rodgers R. J., Blundell J. E., Ishii Y., Beattie A. H., Holch P., Allison D. B., Schindler M., Arndt K., Rudolf K., Mark M., Schoelch C., Joost H. G., Klaus S., Thöne-Reineke C., Benoit S. C., Seeley R. J., Beck-Sickinger A. G., Koglin N., Raun K., Madsen K., Wulff B. S., Stidsen C. E., Birringer M., Kreuzer O. J., Deng X. Y., Whitcomb D. C., Halem H., Taylor J., Dong J., Datta R., Culler M., Ortmann S., Castañeda T. R., Tschöp M.
Obes Rev. 2005; **6** (4): 307

2004

Physiology: does gut hormone PYY3-36 decrease food intake in rodents?
Tschöp M., Castañeda T. R., Joost H. G., Thöne-Reineke C., Ortmann S., Klaus S., Hagan M. M., Chandler P. C., Oswald K. D., Benoit S. C., Seeley R. J., Kinzig K. P., Moran T. H., Beck-sickinger A. G., Koglin N., Rodgers R. J., Blundell J. E., Ishii Y., Beattie A. H., Holch P., Allison D.B., Raun K., Madsen K., Wulff B. S., Stidsen C. E., Birringer M., Kreuzer O. J., Schindler M., Arndt K., Rudolf K., Mark M., Deng X. Y., Whitcomb D. C., Halem H., Taylor J., Dong J., Datta R., Culler M., Craney S., Flora D., Smiley D., Heiman M.
Nature 2004; **430** (6996): 1

2003

Induction of cytotoxic T-cell responses against the oncofetal antigen-immature laminin receptor for the treatment of hematologic malignancies
Siegel S., Wagner A., Kabelitz D., Marget M., Coggin J. Jr., Barsoum

peptides&elephants GmbH • Neuendorfstraße 20b • 16761 Hennigsdorf • Tel +49 (0)33022022000 • Fax +49 (0)33022022001 • lips@peptides.de • www.peptides.de

A., Rohrer J., Schmitz N., Zeis M.
Blood 2003; **102** (13): 4416

Vitamin E analogues as inducers of apoptosis: structure-function relation
Birringer M., EyTina J. H., Salvatore B. A., Neuzil J.
Br. J. Cancer 2003; **88** (12): 1948